

INDOOR

LED SPOT TRACK LIGHTS
SPOT TRACK LIGHTS
LED DOWN LIGHTS
DOWN LIGHTS
LED MULTI DOWN LIGHTS
MULTI DOWN LIGHTS
WALL LIGHTS
LED PENDANT LIGHTS



RARO spotlights with Spherolit technology include diverse and efficient light solutions for corporate lighting to present products in a professional and eye-catching style thereby creating a recognisable image for the brand environment.

INDOOR
WALL LIGHTS




DS-2015

70

DESCRIPTION


Material : AL,Die-Casting, PVC
Reflector : Al,Anodized Specular Silver Square
Lamp Cover : Beam angle Lens
Lamp : POWER LED 75lm
SMPS : 3W
Beam Angle : 80°
Color Temp : 3000K /4000K
C.R.I : Ra > 80

LED & Converter included




- WHITE
- SILVER

TILTING, ROTATION & DRAWINGS



DISTRIBUTION CURVE

THERMAL POWER (W)	COLOR TEMPERATURE (K)	MODULE LUMINOUS FLUX(lm)	LUMINANCE EFFICIENCY (lm/w)	COLOR RENDERING INDEX_CRI	BEAM ANGLE (°)
3W	3000K	75	25lm/w	80	80



DS-2016

70

DESCRIPTION


Material : AL,Die-Casting, PVC
Reflector : Al,Anodized Specular Silver Square
Lamp Cover : Beam angle Lens
Lamp : POWER LED 75lm
SMPS : 3W
Beam Angle : 80°
Color Temp : 3000K /4000K
C.R.I : Ra > 80

LED & Converter included




- WHITE
- SILVER

TILTING, ROTATION & DRAWINGS



DISTRIBUTION CURVE

THERMAL POWER (W)	COLOR TEMPERATURE (K)	MODULE LUMINOUS FLUX(lm)	LUMINANCE EFFICIENCY (lm/w)	COLOR RENDERING INDEX_CRI	BEAM ANGLE (°)
3W	3000K	75	25lm/w	80	80






DS-2040 New

58

DESCRIPTION


Material : AL,Die-Casting, PC
 Reflector : Al,Anodized Specular Silver Square
 Lamp : COB LED 240lm
 SMPS : 3W
 Beam Angle : 20°
 Color Temp : 3000K
 C.R.I : Ra > 80

LED & Converter included




SILVER

TILTING, ROTATION & DRAWINGS



DISTRIBUTION CURVE



THERMAL POWER (W)	COLOR TEMPERATURE (K)	MODULE LUMINOUS FLUX(lm)	LUMINANCE EFFICIENCY (lm/w)	COLOR RENDERING INDEX_CRI	BEAM ANGLE (°)
3W	3000K	240	80	80	20




APPLICATIONS


Structurally the lamp is hidden, thus eliminating discomfort glare. Light beam is directed to the floor or ground, providing comfortable illumination where needed and minimizing light spill. Designers or architects can easily apply this luminaire at various locations. With the separate recessed housing which will be recessed first, the luminaire of this type is commonly favored due to easy installation and maintenance.

7000 series

7000
7000.1 **2#**



GRAY




DS-7000

70 X 70


DESCRIPTION

Frame : Steel, Powder Coating
 Lamp Housing : Steel
 Reflector : Al,Grooved Pattern Plate
 Lamp Cover : Tempered Glass

Lamp & Converter not included
But available on request



SOCKET	LAMP	WATTAGE
GY6.35	Halogen-Pin	50W(12v)




DS-7000.1 (LED Type)


70 X 70

DESCRIPTION

Frame : Steel, Powder Coating
 Lamp Housing : Steel
 Reflector : Al,Grooved Pattern Plate
 Lamp Cover : Tempered Glass
 Lamp : LED(SMD) 280lm
 SMPS : 3W
 Color Temp : 3000K / 6000K
 C.R.I : Ra > 80

LED & Converter included





DS-7001

90 X 90

DESCRIPTION

Frame : Steel, Powder Coating
 Lamp Housing : Steel
 Reflector : Al,Grooved Pattern Plate
 Lamp Cover : Tempered Glass




Lamp & Converter not included
 But available on request



SOCKET	LAMP	WATTAGE
GY6,35	Halogen-Pin	50W(12v)

□ WHITE
 ■ GRAY

TILTING, ROTATION & DRAWINGS




DS-7002

90 X 108

DESCRIPTION

Frame : Steel, Powder Coating
 Lamp Housing : Steel
 Reflector : Al,Grooved Pattern Plate
 Lamp Cover : Tempered Glass




Lamp & Converter not included
 But available on request



SOCKET	LAMP	WATTAGE
GY6,35	Halogen-Pin	50W(12v)

□ WHITE
 ■ GRAY

TILTING, ROTATION & DRAWINGS




DS-7001.1 New

90 X 90

DESCRIPTION




Frame : Steel, Powder Coating
 Lamp Housing : Steel
 Reflector : Al,Grooved Pattern Plate
 Lamp Cover : Tempered Glass
 Lamp : LED(SMD) 280lm
 SMPS : 3W
 Color Temp : 3000K / 6000K
 C.R.I : Ra > 80

LED & Converter included



□ WHITE
 ■ GRAY

TILTING, ROTATION & DRAWINGS



DS-7002.1 New

90 X 108

DESCRIPTION

Frame : Steel, Powder Coating
 Lamp Housing : Steel
 Reflector : Al,Grooved Pattern Plate
 Lamp Cover : Tempered Glass
 Lamp : LED(SMD) 280lm
 SMPS : 3W
 Color Temp : 3000K / 6000K
 C.R.I : Ra > 80

LED & Converter included



□ WHITE
 ■ GRAY

TILTING, ROTATION & DRAWINGS

